



Lopoco System Sheet

Model: LP-4255-10H
S/N: 11400064
Configuration: 32GB (4 x 8GB) DDR3 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 20.50 watts
TDP: 78.90 watts

Networking

LAN MAC addresses: 0c:c4:7a:cd:7c:6c 0c:c4:7a:cd:7c:6d
IPMI MAC address: 0c:c4:7a:cd:79:82

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4255-10H
S/N: 11400063
Configuration: 32GB (4 x 8GB) DDR3 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 19.70 watts
TDP: 74.20 watts

Networking

LAN MAC addresses: 0c:c4:7a:cd:7a:9e 0c:c4:7a:cd:7a:9f
IPMI MAC address: 0c:c4:7a:cd:78:9a

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4255-10H
S/N: 11400060
Configuration: 32GB (4 x 8GB) DDR3 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 20.30 watts
TDP: 75.20 watts

Networking

LAN MAC addresses: 0c:c4:7a:cd:7c:24 0c:c4:7a:cd:7c:25
IPMI MAC address: 0c:c4:7a:cd:79:5e

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4255-10H
S/N: 11400061
Configuration: 32GB (4 x 8GB) DDR3 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 19.70 watts
TDP: 74.70 watts

Networking

LAN MAC addresses: 0c:c4:7a:cd:7a:a0 0c:c4:7a:cd:7a:a1
IPMI MAC address: 0c:c4:7a:cd:78:9b

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4255-10H
S/N: 11400062
Configuration: 32GB (4 x 8GB) DDR3 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 20.50 watts
TDP: 75.60 watts

Networking

LAN MAC addresses: 0c:c4:7a:cd:7c:64 0c:c4:7a:cd:7c:65
IPMI MAC address: 0c:c4:7a:cd:79:7e

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4210-10H
S/N: 11400065
Configuration: 32GB (2 x 16GB) DDR4 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 15.10 watts
TDP: 61.90 watts

Networking

LAN MAC addresses: 0c:c4:7a:b6:2c:6c 0c:c4:7a:b6:2c:6d
IPMI MAC address: 0c:c4:7a:8a:09:18

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4210-10H
S/N: 11400066
Configuration: 32GB (2 x 16GB) DDR4 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 15.20 watts
TDP: 59.30 watts

Networking

LAN MAC addresses: 0c:c4:7a:b6:2c:f8 0c:c4:7a:b6:2c:f9
IPMI MAC address:

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4210-10H
S/N: 11400068
Configuration: 32GB (2 x 16GB) DDR4 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 14.90 watts
TDP: 59.90 watts

Networking

LAN MAC addresses: 0c:c4:7a:b6:28:10 0c:c4:7a:b6:28:11
IPMI MAC address: 0c:c4:7a:8a:06:22

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4210-10H
S/N: 11400067
Configuration: 32GB (2 x 16GB) DDR4 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 15.20 watts
TDP: 62.00 watts

Networking

LAN MAC addresses: 0c:c4:7a:b6:25:52 0c:c4:7a:b6:25:53
IPMI MAC address: 0c:c4:7a:8a:08:47

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448



Lopoco System Sheet

Model: LP-4210-10H
S/N: 11400069
Configuration: 32GB (2 x 16GB) DDR4 ECC UDIMMs, 2 SSDs, 0 HDD

Power Consumption

Idle: 15.40 watts
TDP: 58.10 watts

Networking

LAN MAC addresses: 0c:c4:7a:b6:2c:a4 0c:c4:7a:b6:2c:a5
IPMI MAC address: 0c:c4:7a:8a:09:55

Warranty

This system comes with a limited warranty for 1 year against failure, and to consume no more than the TDP at any time, while consuming the idle power amount $\pm 5\%$ when no load is present. Actual power consumption is based on application and load level. For a full explanation of TDP and idle power consumption, including the variables and variances and how that pertains to this warranty, please consult our web site at www.lopoco.com. Warranted power consumption levels do not include the use of USB devices, as they may consume an unknown amount of power. Please keep the use of USB devices to a minimum. Generic USB sticks, keyboard and mouse adaptors, and USB bluetooth adapters intended for mobile applications are all OK. Many USB external disk drives, ethernet networking devices, and wifi devices can consume large amounts of power, causing system instability.

This warranty is voided upon opening of the server case by the customer. Additionally, this warranty is voided if any disk drive not qualified by lopoco.com is used. Generic consumer grade SSDs intended for the mobile market are almost always OK to use. If you are unsure about the qualification of a specific disk drive, email us at the address below.

Contact:

North America West Coast Headquarters
212 Thompson Sq., Mountain View, CA 94043
E-mail: info@lopoco.com Web: www.lopoco.com
Tel: 650.906.9448